AD		

Award Number: DAMD17-99-1-9030

TITLE: Molecular Changes in pp32 in Prostate Cancer

PRINCIPAL INVESTIGATOR: Gary R. Pasternack, M.D., Ph.D.

CONTRACTING ORGANIZATION: Johns Hopkins University

School of Medicine

Baltimore, MD 21205-2196

REPORT DATE: September 2003

TYPE OF REPORT: Final

PREPARED FOR: U.S. Army Medical Research and Materiel Command

Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;

Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT

Form Approved OMB No. 074-0188

DOCUMENTATION PAGE

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503

1. AGENCY USE ONLY	2. REPORT DATE	3. REPORT TYPE AND DATES COVERED		
(Leave blank)	September 2003	Final(1 Mar 19	99 - 31 Aug 2	2003)
4. TITLE AND SUBTITLE			5. FUNDING NUM	BERS
Molecular Changes in pp3	2 in Prostate Cancer		DAMD17-99-1	-9030
·				1
6. AUTHOR(S)	and the state of t			
Gary R. Pasternack, M.D.	, Ph.D.			
				•
7. PERFORMING ORGANIZATION NAM Johns Hopkins University School of Medicine Baltimore, MD 21205-219			8. PERFORMING O REPORT NUMB	
E-Mail: gpastern@jhmi.edu			·	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS	(ES)		10. SPONSORING AGENCY REP	
U.S. Army Medical Resear Fort Detrick, Maryland		nd		
11. SUPPLEMENTARY NOTES				ı
·				
12a. DISTRIBUTION / AVAILABILITY S	STATEMENT		1	2b. DISTRIBUTION CODE
Approved for Public Rele	ase; Distribution Unl	imited		

13. ABSTRACT (Maximum 200 Words)

Our previous work demonstrated that prostate cancers differ from benign prostatic epithelium by expressing oncogenic members of the pp32 gene family. Whereas benign prostatic epithelium solely expresses pp32, prostate cancers express pp32r1 and pp32r2, which are oncogenic. The purpose of the study was to confirm and extend these preliminary results, to develop practical means to assay pp32 gene family members in clinical samples, and to determine the clinical significance of their presence. The approved proposal encompassed four broad tasks: [1] characterization of the pp32 expression phenotype of a larger sample of 40 prostatic adenocarcinomas; [2] development of a practical molecular pathology assay for altered pp32 transcripts; [3] adaptation of the assay to paraffinembedded tissue; and [4] preliminary determination of the clinical utility of pp32r1 and pp32r2 expression in prostatic adenocarcinoma. In the course of developing these previously reported assays, a mutation in pp32r1 was detected in a human prostatic cancer cell line in pp32r1 involving a T to C transversion at position 418; transfection studies showed this to cause increased cell proliferation. A PCR assay is now being used to determine the frequency of the pp32r1 mutation in prostate cancers. Antibodies will be used to examine pp32 gene family expression in prostate cancers.

14. SUBJECT TERMS Transformation, diagnosis, nuclear proteins			15. NUMBER OF PAGES	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT	
Unclassified	Unclassified	Unclassified	Unlimited	

Table of Contents

Cover	1
SF 298	2
Table of Contents	3
Introduction	4
Body	4
Key Research Accomplishments	7
Reportable Outcomes	8
Conclusions	8
References	8
Appendices	8

INTRODUCTION

Since the last report, further progress in the fundamental biology of pp32 has underscored its prominence as a key regulator of important cellular processes:

Reduction of pp32 by antisense or siRNA induces cellular differentiation with discrete associated changes in gene expression profiles (1)

pp32 is a key participant in granzyme A-mediated apoptotic pathways (2,3); it also participates in a mitochondrial pathway regulating caspase activation (4).

pp32 regulates gene expression as part of a complex that inhibits histone acetylation (5)

pp32 is a regulator of mRNA stability and trafficking (6-8)

Both prostate and breast cancers express pp32r1 and pp32r2, whereas normal epithelium expresses predominantly pp32 (9,10)

Taken together, these findings strongly indicate that pp32 is involved in control of the critical programmatic decision that cells make as to whether to retain the capacity to proliferate, or whether to undergo differentiation.

The approved proposal encompassed four technical objectives: [1] characterization of the pp32 expression phenotype of a larger sample of 40 prostatic adenocarcinomas; [2] development of a practical molecular pathology assay for altered pp32 transcripts; [3] adaptation of the assay to paraffin-embedded tissue; and [4] preliminary determination of the clinical utility of pp32r1 and pp32r2 expression in prostatic adenocarcinoma.

BODY

Task 1. This approved task involves characterization of abnormal pp32 transcripts in frozen samples of human prostatic adenocarcinoma compared to paired normal prostate controls. 40 pairs of prostatic adenocarcinoma and normal prostate are to be analyzed to determine the range and frequency of occurrence of pp32 gene family-related sequences in prostatic adenocarcinoma.

Progress: Screening of a human prostatic adenocarcinoma cell line identified a T to C transversion mutation at position 418 that results in a change from tyrosine to histidine at amino acid 140. The change, along with polymorphisms, is shown in Table I:


Table 1


Genomic DNA Source	Nucleotide Changes	Amino Acid Changes	
Normal Human Placenta	None	None	
Tobacco Associated Oral Mucosal Lesions #1 - #7	None None		
Tobacco Associated Oral Mucosal Lesion #8 - #9	g.68C>T, g.212G>A	23A>V, 71R>K	
Normal, Human Fibroblastic Cell Lines CCD-27SK, CCD-32SK, CCD-42SK, and CCD45-SK	g.68C>T, g.212G>A	23A>V, 71R>K	
Normal, Human Fibroblastic Cell Lines CCD-34SK, CCD39-SK, and CCD- 965SK	g.212G>A	71R>K	
Human Carcinoma Cell Lines ACHN, BT20, CALU-3, and DU 145	g.68C>T, g.212G>A	23A>V, 71R>K	
Human Prostatic Adenocarcinoma Cell Line PC-3	g.68C>T, g.212G>A ,g.418T>C	23A>V, 71R>K, 140Y>H	

The reference sequence is AF008216.1 GI:2738512.

When transfected into ACHN cells, the prostatic adenocarcinoma cell line mutation caused a significant increase in cell growth, as determined by the MTT assay that measures cell metabolic activity, as seen in Figure 1.

Figure 1





This work is currently in press in Human Mutation.

Task 2. This approved task aims at development of a practical molecular pathology assay to distinguish individual members of the pp32 gene family. Briefly, this task involves selection and optimization of PCR primer sets for efficient amplification of altered regions of pp32. The original objective was to select and optimize restriction enzyme cleavages to distinguish among normal pp32 and the various altered forms of pp32. This involved standardization of the assay using defined mixtures of plasmid DNA to determine sensitivity and specificity under optimized PCR conditions and comparison of assay performance on known samples of RNA from frozen tissue.

Progress:

Very recently, antibodies that distinguish pp32, pp32r1, and pp32r2 became available to this project (See final report for DAMD-17-99-9240). pp32, pp32r1, and pp32r2 each possess a unique pattern of reactivity that permits them to be distinguished (see Table 2, below, reproduced from the previously cited report). The previously developed molecular assays proved to be too cumbersome for routine use. It is anticipated that standard immunohistochemical techniques will now make this portion of the study straightforward in work that is anticipated to continue beyond the project period.

Table 2. Summary of Antibody Reactivities

	Antibody			
Protein	anti-pp32 GRP	anti-pp32 MARL	anti-pp32r1 MARL	anti-pp32r2 MARL
pp32	+	+	-	-
pp32r1	+	-	+	+
pp32r2	-	-	+	+

Task 3. This approved task aims to adapt the molecular pathology assay for use archival tissue. Briefly, the task involves preparation of RNA from set of paraffin-embedded human prostatic adenocarcinomas, paired adjacent normal prostates, and control tissues. This is followed by amplification of pp32 mRNA by RT-PCR and analysis by the assay developed in Task 2, and validation of the assay by subcloning and sequencing of selected regions or entire inserts as indicated, using methods described for Task 1.

Progress: As described under Task 3, the antibodies that are now available will be adapted to use in evaluation of prostate cancer specimens using routine immunohistochemical techniques.

Task 4. This approved task seeks a preliminary determination of the clinical significance of pp32 molecular changes. This task requires assembly of paraffin blocks from previously studied population of prostatectomy specimens (1), preparation of RNA from paraffin sections, analysis of pp32 RNA by molecular assay developed under Tasks 2 and 3. The results will be selectively validated by selective subcloning and sequencing, as described in Task 1.

Progress: Work on this task remains scheduled to begin as soon as Task 3 is complete. Work will continue on this project beyond the funding period in order to accomplish the approved tasks despite the frustrating delays introduced by unanticipated and thorny problems in assay development. The clinical goals of the project were, and remain, valid.

KEY RESEARCH ACCOMPLISHMENTS

While practical molecular assays remained elusive, antibodies that recently became available that will permit routine analysis of pp32 gene family member expression.

The assay is applicable to paraffin sections and will shortly be validated (Task 3).

A functional mutation of pp32r1 was discovered; its significance in prostate cancer will be determined in work beyond the scope of this project.

REPORTABLE OUTCOMES

Kochevar J.G., Brody J.R., Kadkol S.S., Murphy K.M., and Pasternack G.R. Identification of a Functional Mutation in pp32r1 (ANP32C). 2004. Human Mutation, In press.

CONCLUSIONS

Quantitative analysis of pp32 gene family members in human prostate cancer and benign tissues is now finally ready to be applied to clinical specimens using immunohistochemistry rather than molecular assays as originally intended. The results are expected to be particularly informative since recent data, discussed in the Introduction, makes pp32 an interesting and potentially very important analyte.

REFERENCES

- 1. Brody, J. R., Kadkol, S. S., Hauer, M. C., Rajaii, F., Lee, J., and Pasternack, G. R. (2004) *American Journal of Pathology*. **164**, 273-283
- 2. Fan, Z., Beresford, P. J., Oh, D. Y., Zhang, D., and Lieberman, J. (2003) *Cell.* 112, 659-672
- 3. Fan, Z., Beresford, P. J., Zhang, D., and Lieberman, J. (2002) Molecular & Cellular Biology. 22, 2810-2820
- Jiang, X., Kim, H. E., Shu, H., Zhao, Y., Zhang, H., Kofron, J., Donnelly, J.,
 Burns, D., Ng, S. C., Rosenberg, S., and Wang, X. (2003) Science. 299, 223-226
- 5. Seo, S. B., Macfarlan, T., McNamara, P., Hong, R., Mukai, Y., Heo, S., and Chakravarti, D. (2002) *Journal of Biological Chemistry.* **277**, 14005-14010
- 6. Gallouzi, I. E., Brennan, C. M., and Steitz, J. A. (2001) Rna. 7, 1348-1361
- 7. Brennan, C. M., Gallouzi, I. E., and Steitz, J. A. (2000) Journal of Cell Biology. 151, 1-14
- 8. Gallouzi, I. E., and Steitz, J. A. (2001) Science. 294, 1895-1901
- 9. Kadkol, S. S., El Naga, G. A., Brody, J. R., Bai, J., Gusev, Y., Dooley, W. C., and Pasternack, G. R. (2001) *Breast Cancer Research & Treatment.* 68, 65-73
- 10. Brody, J. R., Kadkol, S. S., Mahmoud, M. A., Rebel, J. M., and Pasternack, G. R. (1999) *Journal of Biological Chemistry.* **274**, 20053-20055

APPENDICES

Personnel Receiving Pay for Research Effort

Gary R. Pasternack MD PhD ShriHari S. Kadkol MD PhD Moushira Mahmoud MBBS Bruce Huang Principal Investigator Co-Investigator Post-Doctoral Fellow Technician

Publications & Abstracts during Project Period Including No-Cost Extension

- 1. Brody, J. R., Kadkol, S. S., Hauer, M. C., Rajaii, F., Lee, J., and Pasternack, G. R. American Journal of Pathology. 164:273-283 2004
- 2. Kadkol ShriHari S. Brody Jonathan R. Racke Frederick. Trush Michael. Pasternack Gary R. Quantitative analysis of pp32-related mrna expression by competitive RT-PCR in human cancer cell lines. Proceedings American Association for Cancer Research Annual Meeting. 43:4501 2002
- 3. Brody Jonathan R. Kadkol ShriHari S. Racke Frederick. Trush Michael. Pasternack Gary R. pp32 gene family expression in cancer and the balance between proliferation and differentiation. Proceedings American Association for Cancer Research Annual Meeting. 43:1810 2002
- Kadkol ShriHari S. El Naga Gamal Abou. Brody Jonathan R. Bai Jining. Gusev Yuri. Dooley William C. Pasternack Gary R. Expression of pp32 gene family members in breast cancer. Breast Cancer Research & Treatment. 68:65-73 2001
- Kadkol Shrihari S. Racke Frederick K. Brody Jonathan R. Bai Jining. Pasternack Gary R. Differential pp32 gene family expression distinguishes CD34+ hematopoietic stem cells with different engraftment potential. Proceedings American Association for Cancer Research Annual Meeting. 42:539 2001
- 6. Bai Jining. Brody Jonathan R. Kadkol ShriHari S. Pasternack Gary R. Tumor suppression and potentiation by manipulation of pp32 expression. Oncogene. 20:2153-2160 2001
- 7. Brody Jonathan R. Kadkol Shrihari S. Mahmoud Moushira A. Rebel Johanna MJ. Pasternack Gary R. Identification of sequences required for inhibition of oncogene-mediated transformation by pp32. Journal of Biological Chemistry. 274:20053-20055 1999
- 8. Brody JE. Lee LA. Cheong R. Pasternack GR. pp32 inhibits c-Myc transactivation and transformation. Proceedings American Association for Cancer Research Annual Meeting. 40:377 1999
- Bai J. Kadkol SS. Pasternack GR. Modulation of oncogenic potential in vivo and in vitro by pp32. Proceedings American Association for Cancer Research Annual Meeting. 40:377 1999

10. Kadkol SS. Brody JR. Pevsner J. Bai J. Pasternack GR. Modulation of oncogenic potential by alternate gene usage in human prostate cancer. Nature Medicine 5:275-279 1999